

REMA TIP TOP BICYCLE

Repair, Service and Maintenance



WWW.REMA-TIPTOP.COM



FIND US ON 



INTELLIGENT PRODUCTS MADE IN GERMANY

In 1923, the brothers Otto and Willy Gruber have founded the first company under the name Otto Gruber & Co in Germany. It took only a few years to successfully develop material for cold vulcanization and to start manufacturing the first tube and tyre repair patches, which allowed repairs under ambient temperature. The REMA TIP TOP brand was born in 1937 and led to the conquering of the world.

To cope with the current market situation, our bicycle products are subject to permanent and continuous improvement – a requirement for a multi-purpose product line and an advantage for all active and environment-friendly cyclists.

Under the brand REMA TIP TOP, high-quality lubes, care and maintenance products round up the product portfolio of our well-known “classic” repair material. Another ideal complement are further repair and care series in the outdoor and camping segment.

Recently, we have also strengthened our core competence, which has been very successful for years already in the automotive sector: equipment, tools and accessories for the professional bicycle workshop.

To us, it is important to grant maximum functionality and safety through high quality products and to offer a product range, which fulfils our customers’ requirements. The protection of the environment is also fundamental in the manufacturing process of our products in Germany.

ONE BRAND – ONE SOURCE – ONE SYSTEM





REMA TIP TOP GmbH




Agencies

ONE BRAND – ONE SOURCE – ONE SYSTEM

Repair products bicycle and outdoor

A

Repair kits	6 – 7
Tube patches	8 – 9
Vulcanizing	9
Puncture kits and tyre sealants	10 – 12
Outdoor repair material	13 – 14



Outstanding products



Bicycle repair kit TT 06

Page 7



CAMPLAST 3, kit

Page 13



CLEAN-UP

Page 14

A



506 0007



506 0100



506 9163

507 9892



506 0045

► Repair kits

Bicycle repair kit TT 01

- The basic kit for bicycle tyre repair

Scope of delivery:

- 4 Tube patches size F1
- 1 Tube patch size F2
- 1 Tube of SVS vulcanizing fluid 3 g
- 1 Emery paper
- 1 Valve tube
- 1 Instruction manual

Ref. No.	Designation	Content
506 0007	Bicycle repair kit TT 01, touring	36
506 4003	Bicycle repair kit TT 01, touring, with self-service clip	10

Bicycle repair kit TT 02

- The 'No. 1' among the bicycle repair kits

Scope of delivery:

- 6 Tube patches size F1
- 1 Tube patch size F2
- 1 Tube of SVS vulcanizing fluid 5 g
- 1 Emery paper
- 1 Valve tube
- 1 Instruction manual

Ref. No.	Designation	Content
506 0100	Bicycle repair kit TT 02, touring	24
506 4106	Bicycle repair kit TT 02, touring, with self-service clip	10
507 9892	Bicycle repair kit TT 02, touring, in dispenser box	1
506 9163	Bicycle repair kit TT 02, touring, in nostalgic metal box	1

Bicycle repair kit TT 04

- Special assortment of extra-thin tube patches for racing bike professionals

Scope of delivery:

- 4 Tube patches size F0
- 1 Tube patch size F01
- 1 Tube of SVS vulcanizing fluid 3 g
- 1 Emery paper
- 1 Instruction manual

Ref. No.	Designation	Content
506 0045	Bicycle repair kit TT 04, sport	36
506 4041	Bicycle repair kit TT 04, sport, with self-service clip	10

Bicycle repair kit TT 05

- The mobile breakdown kit for the ATB, MTB and frequent cyclist

Scope of delivery:

- 2 Tube patches size F1
- 1 Tube patch size F2
- 1 Tube patch size 0
- 1 Cover patch F2 blue
- 1 Tube of SVS vulcanizing fluid 5 g
- 1 Emery paper
- 2 Tyre levers
- 1 Instruction manual



506 0193

Ref. No.	Designation	Content
506 0193	Bicycle repair kit TT 05, MTB	16
506 4199	Bicycle repair kit TT 05, MTB, with self-service clip	10

Bicycle repair kit TT 06

- The 'top-class' deluxe box with CO2 cartridges for fast inflation

Scope of delivery:

- 2 Tube patches size F1
- 2 Tube patches size F2
- 2 Tube patches size 1
- 1 Cover patch F2 blue
- 1 Tube of SVS vulcanizing fluid 5 g
- 1 Emery paper
- 2 Tyre levers
- 2 CO2 cartridges
- 1 CO2 cartridge adapter
- 1 Rapid valve
- 1 Valve core
- 1 Collar nut
- 1 Valve adapter
- 1 Slotted valve cap
- 1 Instruction manual



506 0605

Ref. No.	Designation	Content
506 0605	Bicycle repair kit TT 06, MTB	10
506 4601	Bicycle repair kit TT 06, MTB, with self-service clip	10

Repair kit for tubeless tyres

- Patches with high-strength fabric reinforcement stabilize the tyre casing at the injury and seal the injury
- Further tearing of the damage is prevented

Ref. No.	Designation	Content
506 0160	Tubeless repair kit <ul style="list-style-type: none"> • For tubeless tyres. Also suitable for repair of bicycle tube tyres Scope of delivery: <ul style="list-style-type: none"> • 3 Repair patches Ø 30 mm, fabric reinforced • 1 Tube of SPECIAL CEMENT BL (4 g), free of CFC/aromatic compounds • 1 Emery paper • 1 Instruction manual 	5





506 0160

► Tube patches

A

Tube patches, red edge

- REMA TIP TOP tube patches with double-scalloped edge applied with REMA TIP TOP SVS vulcanizing fluid ensure perfect bonding through vulcanization
- Due to the stepped multi-layer structure of the tube patch body, they stretch evenly in all directions when the tube is inflated
- They leave no edges on the repair area



Tube patches shown in original size.
Dimensions in mm approx.



500 0029

Ref. No.	Designation	Dia.	Size	Content
500 0012	Tube patches F0, red edge	16 mm		100
500 0029	Tube patches F1, red edge	25 mm		100
500 0191	Tube patches F2, red edge		50 x 25 mm (L x W)	100
500 0036	Tube patches No. 0, red edge	30 mm		100

Tube patches, black edge

- REMA TIP TOP tube patches with double-scalloped edge applied with REMA TIP TOP SVS vulcanizing fluid ensure perfect bonding through vulcanization
- Due to the stepped multi-layer structure of the tube patch body, they stretch evenly in all directions when the tube is inflated
- Furthermore they leave no edges on the repair area

Ref. No.	Designation	Dia.	Size	Content
500 1011	Tube patches F0, black edge	16 mm		100
500 1028	Tube patches F1, black edge	25 mm		100
500 1190	Tube patches F2, black edge		50 x 25 mm (L x W)	100
500 1035	Tube patches No. 0, black edge	30 mm		100

Tube patch strips

Ref. No.	Designation	Content
506 7103	Tube patch strips TT 02, for bicycles, in paper sleeve	50
506 4113	Tube patch strip TT 02, bicycle, with self-service clip Scope of delivery: <ul style="list-style-type: none"> • 6 Tube patches size F1 • 1 Tube patch size F2 	10
506 7048	Tube patch strip TT 04, sport, in paper sleeve <ul style="list-style-type: none"> • Extra thin tube patches for racing bike tyres Scope of delivery: <ul style="list-style-type: none"> • 8 Tube patches size F0 	50



506 7103



506 7048

Tube repair sheet

Ref. No.	Designation	Size	Content
500 0524	Tube repair sheet	100 x 100 mm (L x W)	50
500 4520	Tube repair sheet, with self-service clip	100 x 100 mm (L x W)	40



500 4520

► Vulcanizing

Vulcanizing fluid

- Free of CFC and aromatic compounds
- For the vulcanization of tube patches

Ref. No.	Designation	Content
505 9018	Vulcanizing fluid	50 x 3 g tube
505 9025	Vulcanizing fluid	10 x 3 g tube
505 9032	Vulcanizing fluid	50 x 5 g tube
505 9056	Vulcanizing fluid	50 x 10 g tube
505 4037	Vulcanizing fluid, with self-service clip	10 x 5 g tube
505 4051	Vulcanizing fluid, with self-service clip	10 x 10 g tube



Vulcanizing fluid

► Puncture kits and tyre sealants

REP & AIR

- The complete breakdown service for on the way
- After the repair, the tyre is easily inflated, either from the cartridges or from an ultra-small nylon pump



506 4010

Ref. No.	Designation	Content
506 4010	REP & AIR Bike, in blister package Scope of delivery: <ul style="list-style-type: none"> • 1 Repair kit TT 01 (506 0007) • Mini nylon pump in carbon look <ul style="list-style-type: none"> • Length 155 mm • Dia. 20 mm • Operating pressure 7 bar • Weight 39 g • Brackets for attachment with drink bottle holder For use with: <ul style="list-style-type: none"> • SCLAVERAND valve - SV, PRESTA valve 	1
506 0375	REP & AIR Tube	5
506 4371	REP & AIR Tube, with self-service clip Scope of delivery: <ul style="list-style-type: none"> • 2 Tube patches size 0 • 1 Tube patch size 7 • 1 Tube of SVS vulcanizing fluid 3 g • 1 Emery paper • 1 Car valve core, short • 1 Slotted valve cap • 4 Cartridges 16 g each • 1 Cartridge adapter • 1 Cartridge freeze protector • 1 Instruction manual 	5



506 0375

Ref. No.	Designation	Content
506 0423	AIR-SET bicycle / ATB <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide Scope of delivery: <ul style="list-style-type: none"> • 3 Cartridges 12 g each • 1 Cartridge adapter • 1 Cartridge freeze protector • 1 Instruction manual 	5
506 0454	AIR-SET motorbike / ATB, with self-service clip <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide Scope of delivery: <ul style="list-style-type: none"> • 4 Cartridges 16 g each • 1 Cartridge adapter • 1 Cartridge freeze protector • 1 Instruction manual 	5
596 0413	CO2 cartridges 12 g <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide 	36
596 4430	CO2 cartridges 12 g, with self-service clip <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide 	10
596 0420	CO2 cartridges 16 g <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide 	24
596 4426	CO2 cartridges 16 g, with self-service clip <ul style="list-style-type: none"> • Threaded CO2 cartridges are filled with medical/technical carbon dioxide 	10
596 0255	Cartridge adapter, plastic, flexible For use with: <ul style="list-style-type: none"> • Car valve 	10
596 0262	Cartridge adapter, plastic, flexible For use with: <ul style="list-style-type: none"> • Bicycle and SCLAVERAND valve 	10



506 0423



506 0454



596 0413



596 0255



596 0262


Recommended by:



593 2670



593 1291



Preventive tyre sealant TT SEAL

- Preventive tyre sealant for tube-type and tubeless tyres
- Automatically seals smaller injuries
- Stays effective during the whole service life of a tyre
- Affects neither existing tyre repairs nor the reparability of a tyre

- Contains anti-corrosive agents for protection of rims and metal parts
- Free of CFC and aromatic compounds
- A detailed list of quantities required for each tyre sizes is enclosed

Caution: Approved for a maximum speed of 80 km/h

Ref. No.	Designation	Content
593 1239	TT SEAL, in display box Scope of delivery: • 1 Adapter tube	12 x 250 ml tube
593 1291	TT SEAL Scope of delivery: • 1 Adapter tube	5 x 250 ml tube
593 2670	TT SEAL Scope of delivery: • 1 Adapter tube	10 x 1000 ml bottle

Emergency tyre sealant spray

- For the repair of smaller injuries on the running tread of all types of bicycle tubes
- Cannot be used when the tube or cover is torn open, or when the tyre has slipped off the rim
- For all types of bicycle tyres with or without tube



593 2230

Ref. No.	Designation	Content
593 2230	Emergency tyre sealant spray For use with: • DUNLOP valves or SCLAVERAND/SCHRADER valves with suitable adapter	12 x 75 ml spray

Tyre mounting bars

- Mounting bars made of high-quality plastic
- Distinctly less risk of damage to tyre and rim compared with conventional mounting bars



596 4220

Ref. No.	Designation	Content
596 0224	Tyre mounting bar, unpacked	100
596 4220	Tyre mounting bar, with self-service clip	10 x 3
596 4237	Tyre mounting bar, with self-service clip, includes 12 x 3 pieces	1

► Outdoor repair material

CAMPLAST kits

- For the repair of small punctures on tents and other outdoor articles with PVC, PU or fabric surfaces
- Can also be used for sealing leaky seams of PU-coated tents
- Contains CAMPLAST repair patches and cement
- Cement can be used for bonding of plasticized PVC and textile fabric, such as sun-blinds
- Joints pasted with CAMPLAST cement are thermally stable up to about 60 °C depending on load
- Free of CFC and aromatic compounds
- Store cool and dry



552 3001

Ref. No.	Designation	Content
552 3001	CAMPLAST 1, kit	24
552 4000	CAMPLAST 1, kit, with self-service clip Scope of delivery: <ul style="list-style-type: none"> • 2 Patches approx. 35 mm Ø • 1 Patch approx. 45 mm Ø • 1 Patch approx. 73 x 38 mm • 1 Tube of CAMPLAST cement 6 g • 1 Emery paper • 1 Instruction manual 	10
552 3207	CAMPLAST 3, kit	10
552 4206	CAMPLAST 3, kit, with self-service clip Scope of delivery: <ul style="list-style-type: none"> • 3 Patches approx. 35 mm Ø • 3 Patches approx. 45 mm Ø • 3 Patches approx. 73 x 38 mm • 1 Repair strip approx. 75 x 300 mm • 4 Tubes of CAMPLAST cement 6 g each • 1 Emery paper • 1 Instruction manual 	10



552 3207

CAMPLAST stripes

Ref. No.	Designation	Size	Content
552 5377	CAMPLAST, stripes	300 x 75 x 0.4 mm (L x W x H)	10



552 5377

CAMPLAST cement

Ref. No.	Designation	Content
552 2208	CAMPLAST Cement	50 x 6 g tube
552 2246	CAMPLAST Cement, with brush cover	15 x 80 g tin



552 2208



552 4196

Universal repair kit

- The extensive all-purpose repair kit for indoors, outdoors and travel
- Repair kit for rubber articles and CAMPLAST kit for plasticized PVC, artificial leather and fabric surfaces
- For pool covers and covering sheets, tents and ground sheets, airbeds, rainwear, inflatable rubber dinghies, umbrellas, sun blinds, bicycle tubes, rubber boots, etc.

Scope of delivery:

- 3 Tube patches size 1
- 3 Tube patches size 2
- 1 Tube patch size 7
- 1 Tube of vulcanizing fluid 5 g
- 1 Working instructions for rubber items
- 2 CAMPLAST patches approx. 35 mm Ø
- 2 CAMPLAST patches approx. 45 mm Ø
- 1 CAMPLAST patch approx. 73 x 38 mm
- 1 Tube of CAMPLAST cement 6 g
- 2 Emery papers
- 1 Instruction manual

Ref. No.	Designation	Content
552 4196	Universal repair kit	10
552 3197	Universal repair kit, with self-service clip	10



553 5965

REMA TIP TOP Seam sealing compound

- Transparent compound for sealing sewn seams in coated and non-coated synthetic and natural fabrics
- Suitable for tents, sun blinds, covering sheets, outdoor clothing, backpacks, panniers, etc.
- Good adhesive property, very efficient, good penetration and filling of the seams
- Light-fast, does not embrittle and discolour
- Easy to apply
- Test for staining before use
- On PU base, free of CFC and aromatic compounds
- Store cool and dry

Ref. No.	Designation	Content
553 5965	Seam sealing compound, metal tin with brush top	15 x 80 g tin
553 6177	Seam sealing compound	1 x 4 kg can



CLEAN-UP


- REMA TIP TOP CLEAN-UP is the cleaning paste to go
- Quickly removes even tough soiling from the hands without water - and is mild and gentle to the skin
- Simply put on your hands and dry-rub off

Ref. No.	Designation	Content
593 2255	CLEAN-UP, counter display, includes 20 x 25 ml tubes	1

Bike care

B

Cleaning	16
Care	17 – 18
Sales display	19



Outstanding products



Chain washer

Page 16



Bike cleaner

Page 16



Special Bike Fluid for
bowden cables and locks

Page 18

► Cleaning

Chain cleaner TOP CHAIN WASHER

- Revolutionary design
- Fast and handy
- Economic and thorough cleaning
- Chain cleaning spray available separately
- For efficient cleaning of driving chains, chain sprockets and gearshift assemblies
- Excellent for cleaning disc brakes

Ref. No.	Designation	Content
593 2720	Chain washer, in self-service blister package	250 ml spray
593 2730	Chain cleaning spray	12 x 250 ml spray



593 2720

Recommended by:



593 2730



593 1181



593 1198

Chain cleaner

- For efficient and gentle cleaning of driving chains, chain sprockets and gearshift assemblies
- Does not attack gaskets/O-rings
- Temporary corrosion protection

Ref. No.	Designation	Content
593 1181	Chain cleaner	8 x 250 ml tin
593 1198	Chain cleaner	10 x 1000 ml tin



593 1208

Recommended by:



Bike cleaner

- For efficient and gentle removal of oil, grease and road soiling from all aluminium, chromium and steel parts
- Convenient application thanks to absence of aggressive, surface-active acids
- Over 90 % of cleaning components biodegradable

Ref. No.	Designation	Content
593 1208	Bike cleaner	10 x 500 ml pump bottle
593 1222	Bike cleaner	10 l can

Care

Chain spray

- The "standard choice" in chain care
- Tight lubricating film on mineral oil base
- High penetration and adhesive power
- Long-lasting protection against humidity, corrosion and wear
- Efficient over a wide temperature range
- Excellent lubricating effect

Ref. No.	Designation	Content
593 1136	Chain spray	12 x 250 ml spray
593 1150	Chain spray	20 x 75 ml spray



593 1136



593 1150

NANO DIAMANT chainlube

- Professional formula chain oil with latest nano technology for highest demands
- Outstanding long-term lubricant for the bicycle chain
- Reduces friction noticeably
- Special combination of active ingredients excelling by high penetration and adhesive power as well as increased wearing and corrosion protection
- O-rings remain elastic within a wide temperature range

Ref. No.	Designation	Temperature range	Content
593 2290	NANO chainlube	-20 to +200 °C	12 x 125 ml spray
593 1810	NANO chainlube	-20 to +200 °C	12 x 50 ml PE bottle

Recommended by:



593 2290



593 1810

NANO CLEAN & POLISH

- Solvent cleaning and sealing system on the basis of nano technology
- The protective high-tech cleaning and sealing is applied similar to car polish
- Long-term sealing results from cross-linkage of the nano particles
- Areas of application: painted surfaces, smooth plastics, stainless steel and aluminium

Ref. No.	Designation	Content
593 1800	Nano Clean & Polish	12 x 50 ml PE bottle




593 1800

Nano technology: what does it mean?

Nano diamants are synthetic diamants with a dimension of 1 to 10 atom diameters with the known chemical and physical properties: extreme hardness, high heat-conductivity, extremely regular surfaces.

As all metallic surfaces are irregular (tests under electron microscop), in case of contact of metal (e.g. chain) and metal (e.g. pinion), friction and heat are generated, which results in premature wear. The nano diamant additive in some of our products settles down on the irregular structure of the metal. Due to its hardness, they can neither be mechanically damaged nor chemically dissolved. As an effect, the surface is more even, the friction coefficient is reduced by 6-20% and wear is decreased 10 times.





593 1064

Suspension fork oil

- Ideal care product for the suspension fork
- For all kinds of lubricating and protection of bicycles
- Consistent protective film on movable parts, especially for winter conservation

- High penetration for profound lubrication
- Drives out moisture and protects against corrosion

Ref. No.	Designation	Content
593 1064	Suspension fork oil spray	12 x 250 ml spray



593 1095

Silicone spray

- Lubricates and revives all rubber, plastic and chromium parts
- Prevents deposits of heavy grime

- Dirt repellent
- Antistatic, non-greasy
- Colourless and odourless

Ref. No.	Designation	Content
593 1095	Silicone spray	12 x 250 ml spray

Recommended by:



593 1143

Protection wax

- For bicycle frames and movable parts
- Restores gloss after cleaning
- Dirt repellent by thin wax film

- Protects against corrosion
- Long-lasting gloss

Ref. No.	Designation	Content
593 1143	Protection wax	12 x 250 ml spray

Recommended by:



593 1167

Brilliant gloss spray

- For care and conservation of metal parts in a single step
- Dual effect (2-in-1)

- Stops corrosion
- Gives lasting, protective gloss

Ref. No.	Designation	Content
593 1167	Brilliant gloss spray	12 x 250 ml spray



593 1088

Special Bike Fluid for bowden cables and locks

- Releases jammed bowden cables
- For removal of gummy oil and grease residues
- Ideal for maintenance of bicycle locks
- High penetration

- Temporary corrosion protection
- Can be used for maintenance of steel, aluminium and chromium parts

Ref. No.	Designation	Content
593 1088	Special Bike Fluid for bowden cables and locks, in counter display	20 x 50 ml PE bottle

► Sales display

Bike sales display

- Attractive, space-saving display stand for the professional bike shop
- Standing display in high-quality paint finish, can be filled with individual items
- Compact design requiring little space
- Visually aesthetic sales aid comprising a slightly curved topper, a perforated panel, three shelves and thirty double loop hooks
- Quick and easy assembling by just one person
- Supplied completely disassembled in box

	Size
Display	550 x 450 x 2000 (W x D x H mm)
Perforated panel	500 x 700 (W x H mm)
Top shelf	500 x 200 (W x H mm)
Middle shelf	500 x 250 (W x H mm)
Bottom shelf	500 x 300 (W x H mm)

Ref. No.	Designation
593 1100	Bike sales display Scope of delivery: <ul style="list-style-type: none"> • 505 4037 10 Vulcanizing fluid, with self-service clip • 505 4051 10 Vulcanizing fluid, with self-service clip • 506 4003 10 Bicycle repair kit TT 01, touring, with self-service clip • 506 4027 20 Bicycle repair kit, with self-service clip • 506 4041 10 Bicycle repair kit TT 04, sport, with self-service clip • 506 4106 10 Bicycle repair kit TT 02, touring, with self-service clip • 506 4113 10 Tube patch strip TT 02, bicycle, with self-service clip • 506 4199 10 Bicycle repair kit TT 05, MTB, with self-service clip • 506 4601 10 Bicycle repair kit TT 06, MTB, with self-service clip • 552 3197 10 Universal repair kit, with self-service clip • 562 0629 10 Bicycle valve assortment, with self-service clip • 562 0636 10 Patent valves, with self-service clip • 562 6018 10 Valve adapter, with self-service clip • 562 6032 10 Valve adapter, with self-service clip • 593 1088 20 Special Bike Fluid, in counter display • 593 1064 12 Suspension fork oil spray • 593 1136 12 Chain spray • 593 1095 12 Silicone spray • 593 1150 20 Chain spray • 593 1143 12 Protection wax • 593 1167 12 Brilliant gloss spray • 593 1181 8 Chain cleaner • 593 1198 3 Chain cleaner • 593 1208 10 Bike cleaner • 593 1291 5 Preventive tyre sealant TT SEAL • 593 1800 12 Nano Clean & Polish • 593 1810 12 NANO chainlube • 593 2230 12 Emergency tyre sealant spray • 593 2290 12 NANO chainlube • 593 2255 1 CLEAN-UP, counter display • 593 2720 3 TOP CHAIN WASHER, in self-service blister package • 593 2730 12 Chain cleaning spray • 596 4220 10 Tyre mounting bar, with self-service clip • 596 4426 10 CO2 cartridges, with self-service clip • 506 4010 5 REP & AIR Bike, in blister package



593 1100

To upgrade our workshop to the best E-Bike conditions, we implemented the pneumatic mounting stand from REMA TIP TOP. With this stand you can mount E-bikes using the innovative 3-point clamping system, which enables you to do heavy work on the totally fixed and secured bikes. The air pressure supported usage can lift up to 35 kg and is easy and "ergonomic". This is an unbeatable value and makes working with this stand worth every cent you spent.


Sebastian Boehm, editor for the German bicycle magazin VeloTotal



Workshop program

Workshop equipment	22 – 25
Tyre inflators	26
Tyre pressure gauges	26
Lighting	27
Valves	28 – 30
Cleaning	30 – 31

C



Outstanding products



Mechanical
mounting stand

Page 22



Bicycle tyre inflator gauge

Page 26



Hand cleaner TOP CLEAN

Page 31

► Workshop equipment

Mounting stands

- Three professional and unique mounting stand models for three levels of demand: pneumatic, mechanical and standard
- Ergonomic working position guaranteed
- Patented 3-point clamping systems allows frames of various shapes and materials to be clamped
- Especially delicate frames made of carbon or aluminium cannot be scratched, thanks to the three PVC rollers
- With the set of universal retaining pins (3 units), working on a wide range of bike frame models is possible



589 4994



589 4736



589 4737

	589 4994	589 4736	589 4737
Size	1720 x 300 x 280 mm (L x W x H)	1530 x 380 x 200 mm (L x W x H)	1720 x 300 x 280 mm (L x W x H)
Weight	50 kg	60 kg	28 kg
Load	35 kg	35 kg	35 kg

Ref. No. Designation

589 4994 Pneumatic mounting stand

- Very comfortable working due to the pneumatic lifting device
- Lifting capacity up to 35 kg, therefore ideal for heavy E-bikes exceeding 30 kg
- Patented 3-point clamping system allows frames of various shapes and materials such as carbon and aluminium to be clamped without scratches
- Bike can be turned by approx. 160° using an angle adjusting system
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory

589 4736 Mechanical mounting stand

- Easy lifting with a mechanical lifting device
- Lifting capacity up to 35 kg, therefore ideal for heavy E-bikes
- Patented 3-point clamping system allows frames of various shapes and materials such as carbon and aluminium to be clamped without scratches
- Bike can be turned by approx. 160° using an angle adjusting system
- Falling protection stops bike from suddenly dropping or falling off the stand
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory

589 4737 Aluminium mounting stand

- Patented 3-point clamping system allows frames of various shapes and materials such as carbon and aluminium to be clamped without scratches
- Bike can be turned by approx. 160° using an angle adjusting system
- Working height (max. approx. 170 cm) adjustable before clamping the bike
- Secured directly to the floor through four bolt holes or on a metal base plate which is available as an optional accessory
- Max. lifting capacity 35 kg



3-point clamping systems

- Unique 3-point clamping system patented by REMA TIP TOP
- Allows frames of various shapes and materials to be clamped
- Delicate frames made of carbon or aluminium cannot be scratched, thanks to the three PVC rollers



589 4726

Ref. No.	Designation	Size	Weight
589 4726	3-point clamping system for mounting stands with clamp	630 x 180 x 170 mm (L x W x H)	5.5 kg

- Ideal for all traditional mounting stands with clamp
- With the integrated adapter you can easily convert your old mounting stand to the new 3-point clamping system
- Perfectly suitable for especially delicate frames made of carbon or aluminium
- Reliable securing of the bike without scratches thanks to optimal pressure distribution on three PVC rollers

For use with:

- Additional arm with clamp (589 4997)


589 4725	3-point-clamping system with wall-mounting device	630 x 630 x 120 mm (L x W x H)	11 kg
----------	--	-----------------------------------	-------

- Space-saving wall-mounting for bicycle workshops
- Perfect for outside service stations or "Do-it-yourself corners"
- Also suitable for your own bicycle workshop at home, e.g. in the cellar or garage
- When not in use, the 3-point-clamping system can be easily dismantled from the wall plate by loosening just one screw




589 4725

Accessories - Mounting stands and 3-point clamping systems



589 4738



589 4739



589 4997

Ref. No.	Designation	Size	Weight
Accessories:			
589 4739	Set of universal retaining pins (3 units) <ul style="list-style-type: none"> • Rubber-coated, quick change pins • Ideal for frame shapes which cannot be clamped with the fitted rollers because space is an issue For use with: <ul style="list-style-type: none"> • 3-point clamping system with wall-mounting device (589 4725) • 3-point clamping system for mounting stands with clamp (589 4726) • Mechanical mounting stand (589 4736) • Aluminium mounting stand (589 4737) • Pneumatic mounting stand (589 4994) 		
589 4997	Additional arm with clamp <ul style="list-style-type: none"> • Additional arm with adjustable clamp For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) • Mechanical mounting stand (589 4736) • Pneumatic mounting stand (589 4994) 	350 x 250 x 120 mm (L x W x H)	4.4 kg
589 4738	Base plate for mounting stand <ul style="list-style-type: none"> • Ensures stability if the mounting stand is not secured to the floor For use with: <ul style="list-style-type: none"> • Pneumatic mounting stand (589 4994) • Mechanical mounting stand (589 4736) • Aluminium mounting stand (589 4737) 	750 x 510 x 20 mm (L x W x H)	46 kg

Accessories - Aluminium mounting stand (589 4737)



589 4739



589 4848



589 4995



589 4997



589 4998

Ref. No.	Designation	Size	Weight
589 4998	Guide plate for additional arm for aluminium mounting stand <ul style="list-style-type: none"> • Guide plate for additional arm, 589 4997 • For additional work station on aluminium mounting stand, 589 4737 For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) • Additional arm with clamp (589 4997) 		
Accessories:			
589 4739	Set of universal retaining pins (3 units) <ul style="list-style-type: none"> • Rubber-coated, quick change pins • Ideal for frame shapes which cannot be clamped with the fitted rollers because space is an issue For use with: <ul style="list-style-type: none"> • 3-point clamping system with wall-mounting device (589 4725) • 3-point clamping system for mounting stands with clamp (589 4726) • Mechanical mounting stand (589 4736) • Aluminium mounting stand (589 4737) • Pneumatic mounting stand (589 4994) 		
589 4848	Tool tray for aluminium mounting stand <ul style="list-style-type: none"> • Practical accessory for holding small items For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) 		
589 4995	Additional arm, second work station <ul style="list-style-type: none"> • Practical additional arm for aluminium mounting stand • For conversion to twin work station For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) 	350 x 250 x 120 mm (L x W x H)	
589 4997	Additional arm with clamp <ul style="list-style-type: none"> • Additional arm with adjustable clamp For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) • Mechanical mounting stand (589 4736) • Pneumatic mounting stand (589 4994) 	350 x 250 x 120 mm (L x W x H)	4.4 kg
589 4996	Base plate extension for aluminium mounting stand, twin work station <ul style="list-style-type: none"> • For added stability when using the aluminium mounting stand For use with: <ul style="list-style-type: none"> • Aluminium mounting stand (589 4737) 	800 x 200 x 40 mm (L x W x H)	8.5 kg

► Tyre inflators

Bicycle tyre inflators

Ref. No.	Designation	Content
508 8617	Universal bicycle tyre inflator gauge	1
508 8601	Bicycle tyre inflator gauge	1
	Accessories:	
508 8640	Pressure gauge For use with: <ul style="list-style-type: none"> • Universal bicycle tyre inflator gauge (508 8617) 	1
562 5105	Clip-on connector For use with: <ul style="list-style-type: none"> • Bicycle tyre inflator gauge (508 8601) 	10
508 8632	Pressure gauge For use with: <ul style="list-style-type: none"> • Bicycle tyre inflator gauge (508 8601) 	1
562 5459	Sealing membrane For use with: <ul style="list-style-type: none"> • Bicycle tyre inflator gauge (508 8601) 	1

► Tyre pressure gauges

Tyre pressure gauge

Ref. No.	Designation	Measuring range	Content
519 9340	Tyre pressure gauge, digital <ul style="list-style-type: none"> • High quality • Ergonomic handling • Convenient illumination, pocket lamp function • Precise, calibrated digital indication (bar, psi, kPa) 	0.5 - 9.99 bar 0 - 145 psi	1
570 9060	Tyre pressure gauge RM/4 S-6 <ul style="list-style-type: none"> • Slapping connector • Dual calibration For use with: <ul style="list-style-type: none"> • Spoked wheels, checking of motorcycle fork pressure and hard to reach valves • Standard valves 	0 - 4 bar 0 - 57 psi	1
571 9480	Tyre pressure gauge RM/10 S-6 <ul style="list-style-type: none"> • Slapping connector For use with: <ul style="list-style-type: none"> • Standard valves 	0 - 10 bar 0 - 142 psi	1



508 8617



508 8601



562 5459



562 5105



519 9340



570 9060



571 9480

► Lighting

Lighting

- The right light for every job

	595 3004	517 4522	571 9520	594 0910
Power supply	220/8 V/W	230/12 V/W	230/11 V/W	
Length				500 mm

Ref. No.	Designation	Content
595 3004	Inspection lamp, with holder	1
517 4522	Halogen lamp, magnetic Scope of delivery: • 1 12 V bulb	1
571 9520	Working light OPUS I • Ease-of-servicing design • No flickering light • Quick-change bulb • Slender shape • Sturdy housing • Power cord 5 m • TC-SEL lamp	1
594 0910	Flexarm 500 magnetic clamp OPUS I	1
	Accessories:	
517 4539	Spare lamp, 12 V For use with: • Halogen lamp, magnetic (517 4522)	1



571 9520, 594 0910



595 3004



517 4522

► Valves

Bicycle valves, standard

Ref. No.	Designation	Content
562 0605	ALLIGATOR express valve	25 x 2
562 0612	ALLIGATOR express valve, unpacked	100
562 0636	Patent valves, with self-service clip For use with: • DUNLOP/bicycle valve adapter	40 x 2
562 0629	Bicycle valve assortment, with self-service clip Scope of delivery: • 2 Patent valves • 2 Collar rings For use with: • DUNLOP/bicycle valve adapter	40
562 0674	Standard valve Dunlop	100
562 0708	Valve cap, rubber	100
562 0715	Valve cap, plastic	100
562 0739	Top nut For use with: • DUNLOP/bicycle valve	100
562 0746	Rim nut For use with: • DUNLOP/bicycle valve	100
596 0327	Valve tubing	2.5 m

Bicycle valves, Sclaverand

Ref. No.	Designation	Content
562 0021	Valve core, Sclaverand	100
562 0409	Valve cap, plastic	100
562 0416	Valve cap, metal	100
562 0760	Rim nut, Sclaverand	100



562 0605



562 0612



562 0674



562 0708



562 0715



562 0739



562 0746



562 0021



562 0409



562 0416



562 0760

Bicycle valve adapters

Ref. No.	Designation	Content
562 5064	Valve adapter For use with: • SCLAVERAND/racing bike valve to DUNLOP/bicycle pump	10
562 6032	Valve adapter, with self-service clip For use with: • SCLAVERAND valve to DUNLOP/bicycle pump	40 x 2
562 5071	Valve adapter, with non-return valve For use with: • Car valve to DUNLOP/bicycle pump	10
562 5057	Valve adapter, without non-return valve For use with: • Car valve to DUNLOP/bicycle pump	10
562 5002	Valve adapter, with gasket For use with: • DUNLOP/bicycle valve to car pump	10
562 5019	Valve adapter, without gasket For use with: • DUNLOP/bicycle valve to car pump	10
562 6018	Valve adapter, with self-service clip For use with: • DUNLOP/bicycle valve to car pump	40 x 2
562 5026	Valve adapter For use with: • Plug-in adapter for car valve to DUNLOP/bicycle pump	10
Accessories:		
562 5459	Sealing membrane For use with: • Valve adapter (562 5026)	1

Valve cores

Ref. No.	Designation	TR No.	Content
562 0007	Valve core, long	C 1	100
562 0014	Valve core, long	C 1	5 in plastic box
562 0045	Valve core, short	C 1	100
562 0052	Valve core, short	C 1	5 in plastic box
562 0090	Valve core, extra short	C 1	100



562 5064



562 5071



562 5057



562 5002



562 5019



562 5026



562 0007



562 0014



562 0045



562 0052



562 0090



562 0117

Valve caps, metal

Ref. No.	Designation	TR No.	Content
562 0117	Valve cap, screwdriver top	VC 2 eq	5 in plastic box
562 0100	Valve cap, with screwdriver top	VC 2 eq	100

Bicycle clip-on connectors



562 5404



562 5411

Ref. No.	Designation	Tube size	Content
562 5404	Clip-on connector	4.5 x 10 mm	10
Accessories:			
562 5411	Sealing membrane		10
For use with:			
• Clip-on connector (562 5404)			



593 0704



593 0711

Cleaning

Multi-purpose cold cleaner

- Universal cleaner for tools, parts, vehicles, motors, gearboxes, nozzles, machines, tanks, tubes, shop floors, etc.
- Can be applied by spraying, using a brush, dipping or wiping
- Wash down or rinse with tap water
- **Note:** Cold cleaners must be used only in conjunction with a separator for light liquids (oil trap)

Ref. No.	Designation	Content
593 0704	Multi-purpose cold cleaner	10 x 1 l tin
593 0711	Multi-purpose cold cleaner	5 l metal can



593 0649

Talc

- Fine-grained
- Asbestos free

Ref. No.	Designation	Content
593 0649	Talc For use with: • Mounting tubes and tyres	10 x 500 g can

Hand Cleaner TOP CLEAN

- Efficient, cream formula hand cleaner which does not attack the skin
- Removes toughest soiling such as oil, grease, tar, resin, paint, etc.
- Cleans with mild ingredients and very fine abrasive materials with no organic solvents
- Contains no sand and therefore does not clog outlets or drains
- Over 90 % of the ingredients are biodegradable

Ref. No.	Designation	Content
593 2001	Hand Cleaner TOP CLEAN	12 x 250 ml tube
593 2018	Hand Cleaner TOP CLEAN	8x 5 l bucket
Accessories:		
593 2063	Dispenser TOP CLEAN	1



593 2001

593 2018



593 2063

Hand Cleaner SOFT

- Contains vegetable oils
- Without additional solvents
- Extremely mild and gentle to the skin
- Does not clog drains or outlets
- Alkali-free and adapted to the pH of the skin
- With citric acid to preserve the skins natural resistance
- Extremely economical (approx. 2 grams are enough)

Ref. No.	Designation	Content
593 0498	Hand Cleaner SOFT	12 x 500 ml plastic can



593 0498

Hand Cleaner SUPER

- With orange fragrance, removes even the toughest dirt such as soot, paint, printing ink, tar, bitumen, underseal, etc.
- Hand Cleaner SUPER cleans down to the pores, is easy to rinse off, does not contain sand and therefore will not clog drains or outlets

Ref. No.	Designation	Content
593 0481	Hand Cleaner SUPER	8 x 4 l bucket
593 0160	Spare lid For use with: • Hand Cleaner dispenser (593 0467)	1

Accessories:

593 0467	Hand Cleaner dispenser	1
----------	------------------------	---



593 0481



593 0467

CLEAN-UP

- REMA TIP TOP CLEAN-UP is the cleaning paste to go
- Quickly removes even tough soiling from the hands without water - and is mild and gentle to the skin
- Simply put on your hands and dry-rub off

Ref. No.	Designation	Content
593 2255	CLEAN-UP, counter display, includes 20 x 25 ml tubes	1



593 2255

REMA TIP TOP Bicycle – Repair, Service and Maintenance

Design, Artwork, Production:

SOKO® München GmbH

Database Publishing Solutions

www.soko.de

Cover Image: www.ronnykiaulehn.com

Legal Notice:

Copyright© 2011

REMA TIP TOP GmbH

All information is given to the best of our knowledge. All specifications are to be considered non-binding information. Any claim for damages of any kind is excluded. We reserve the right to change technical specifications without prior notice, provided that they ensure product improvement. The information presented is based on technical experience but does not guarantee a product's suitability for specific applications, and does not relieve the users of the responsibility to undertake their own testing, including where any third-party trademark rights are concerned. Pictures in the catalogue may contain optional accessories which are not included in the standard shipment, and need to be ordered additionally.

All relevant product information can be found in the respective documents, including operating instructions, technical datasheets as well as conditions for storage and application. The specified qualities of our products are based on information from the accompanying inspections for approval. They represent statistical product data and are not to be considered as guaranteed properties of an individual product. In order to preserve product properties, the storage conditions indicated in DIN 7716 should be followed (including storing the product in the original package and in an area that is dry, cool and dark).

Attention:

Unless otherwise noted, the content is one and will not be listed separately.

Your local Contact:

581 1921 - XIII.11 Printed in Germany

REMA TIP TOP GmbH

Business Unit Automotive

Gruber Strasse 63

Phone:

Fax:

www.rema-tiptop.com

85586 Poing/Germany

+49 8121 707-0

+49 8121 707-222

info@tiptop.de

